

S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

ADP-71SMIR

Camera ANALOG de INTERIOR **cu IR**

(**lentila fixa**)



Specificatii Tehnice:

- 720 TVL, 1/3" 1M SENSOR, Effective Pixels: 1280(H)×960(V), 20m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.3, 12 VDC, Smart IR, High dynamic range, Wide operating temperature Range (-40°~60°), IP66, 3.6mm/F2.3 Lens), DC 12V, 3.6mm, 20m IR

Recomandari de amplasare:

- magazin spatiu ingust, interiorul biroului, holuri, intrare cladire, parcare subterana, sala de jocuri, benzinarii, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite, scoli etc.

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

ADH-72SMVR

Camera ANALOG de INTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- Plastic Dome IR (700TVL,WDR, D&N, OSD, 3D DNR, Sens-Up), 1/3" SONY Super HAD II CCD, 700TVL, 0 Lux at IR ON, D&N, OSD, Mirror (On/Off), Privacy On/Off, Smart Motion Detection, AGC (On/Off), BLC (BLC, HLC, HBLC, Off), AWB, 3D DNR (Low/Middle/High/Auto, Off), Sens-Up (x2~x1024), WDR, LSC(Lens Shading Compensation), Smart IR, Defect Compensation(manual & Auto), DC 12V, 2.8-12mm, ICR

Recomandari de amplasare:

- magazin spatiu ingust, interiorul biroului, holuri, intrare cladire, parcare subterana, sala de jocuri, benzinarii, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite, scoli etc.

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

ADP-71S

Camera ANALOG de INTERIOR fara IR

(lentila fixa)



Specificatii Tehnice:

- 720 TVL, 1/3" 1M SENSOR, Effective Pixels: 1280(H)×960(V), Day & Night, 0.1 Lux/F1.2, 0.3 Lux/F2.3, 3-axis adjustment, 12 VDC, High dynamic range, Wide operating temperature range (-40°~60°), 3.6mm Lens, F2.3, DC 12V, 3.6mm

Recomandari de amplasare:

- interiorul biroului, holuri, intrare cladire, interiorul casei, restaurante, farmacii, parcuri de distractii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

ADH-72SV

Camera ANALOG de INTERIOR fara IR

(lentila vari-focala)



Specificatii Tehnice:

- Plastic Dome Camera (700TVL,WDR, D&N, OSD, 3D DNR, Sens-Up), 1/3" HIGH SENSITIVITY CCD, 700TVL, 0.1Lux at F1.2(Color) / 0.0001Lux(Sens-up x1024), D&N, OSD, Mirror (On/Off), Privacy On/Off, Smart Motion Dectection, AGC (On/Off), BLC (BLC, HLC, HBLC, Off), AWB, 3D DNR (Low/Middle/High/Auto, Off), Sens-Up (x2~x1024), WDR, LSC(Lens Shading Compensation), Defect Compensation(manual & Auto), DC 12V, 3.8~9.5mm

Recomandari de amplasare:

- interiorul biroului, holuri, intrare cladire, interiorul casei, restaurante, farmacii, parcuri de distractii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

AWP-71S(M)IR

Camera ANALOG de EXTERIOR **cu IR**

(**lentila fixa**)



Specificatii Tehnice:

- 720 TVL, 1/3" 1M SENSOR, Effective Pixels: 1280(H)×960(V), 20m IR Distance, ICR, 0.1 Lux/F1.2, 0.3 Lux/F2.3, 12 VDC, Smart IR, High dynamic range, Wide operating temperature Range (-40°~60°), IP66, 3.6mm / F2.3 Lens

Recomandari de amplasare:

- magazine cu spatiu ingust, depozite, intrari cladiri, supermarkete, pietee, exteriorul casei, gradini, acces bloc, gari, autogari, restaurante, parcuri, spalatorii auto, hoteluri, piscine, sali de sport, gradinite, scoli etc.

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

AWP-74SMVR

Camera ANALOG de EXTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- 720 TVL, 1/3" 1M SENSOR, Effective Pixels: 1280(H)×960(V), ICR, 30-40m IR, 0.1Lux @ (F1.2,AGC ON), 0 Lux with IR, Wide operating temperature Range (-40°~60°), IP66, 2.8-12mm@F1.4, 12 VDC, 3-axis (pan/tilt/rotation) positioning, BLC

Recomandari de amplasare:

- magazine cu suprafata mare, hale de productie, depozite, parcare, pietee, exteriorul casei, gradina, intrarea in parcare(identificarea nr. Inmatriculare), supraveghere stradala, supraveghere casino, sali de jocuri, benzinarii, gari, autogari, parcuri de distractii, parcuri, stadioane, competitii sportive, sali de sport, spalatorii auto, aeroporturi, piscina, gradinite, scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

LJP-51S

Camera ANALOG de INTERIOR **cu IR**

(**lentila fixa**)



Specificatii Tehnice:

- MONALISA 4, Vandal-Resistant IR Dome Camera (700TVL, Fixed Lens), 1/3" IT CCD, Intelligent IR Technology, Built-in IR LEDs(25ea), 0.00Lux (IR LED On), Auto White Balance, AGC, SBLC, 3-Axis Movement for Free Lens Rotation, 70m Eye Ball Size, Vandal-Resistant Dome Housing IR LED's Visibility Range : 15 meter (850nm, 30°), 3.8mm Fixed IR Lens, 12VDC

Recomandari de amplasare:

- magazin spatiu ingust, interiorul biroului, holuri, intrare cladire, parcare subterana, interiorul casei, banci, sali de jocuri, benzinarii, restaurante, farmacii, spitale, clinici private, lift, sali conferinte, hoteluri, sali de sport, gradinite, scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

LBP-51VF

Camera ANALOG de INTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- MONALISA 4, IR Dome Camera (700TVL,D.WDR,DSS,3D-DNR,OSD,DEFOG), 1/3" High sensitivity CCD, 700TVL, Built-in IR LEDs(18ea), 0.00Lux (IR LED On), D.WDR, TDN(ICR), DSS, 3D-DNR, OSD, Auto White Balance, AGC, BLC, HLC, Defog, Motion Detection, Privacy Zone, Mirror Function, Coaxial Communication(Pelco-C), Service Extra-Video out, 12VDC, 2.8~12mm Varifocal Lens

Recomandari de amplasare:

- magazin spatiu ingust, magazin suprafata mare, hala de productie, depozite, interiorul biroului, holuri, intrare cladire, parcare subterane, interiorul casei, banci, sali de jocuri, benzinarii, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite, scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

DFL-21S

Camera ANALOG de INTERIOR **cu IR**

(lentila fixa)



Specificatii Tehnice:

- Color Dome Camera, 1/3" SONY Super HAD CCD, 600TVL, Service Extra-Video out, 3-Axis, 85mm dome size, 600TVL, 3.8mm Fixed, 12VDC

Recomandari de amplasare:

- interiorul biroului, holuri, intrare cladire, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hotel, sali de sport, gradinite si scoli

www.sionsecurity.ro

(Printeaza aceasta pagina)



S.C. SION Security S.R.L.
Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951
Email: office@sionsecurity.ro



DBM-21VD

Camera ANALOG de INTERIOR fara IR

(lentila vari-focala)



Specificatii Tehnice:

- Color Dome Camera (600TVL, DNR, OSD, SBLC), 1/3" SONY Super HAD CCD, 600TVL, DNR (Digital Noise Reduction), OSD, SBLC, Mirror, Privacy Zone, Motion Detection, Service Extra-Video out, 3-Axis, 100mm dome size, 0.1Lux, 4~9mm Lens, 12VD

Recomandari de amplasare:

- interiorul biroului, holuri, intrare cladire, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hotel, sali de sport, gradinite si scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

WBL-21S

Camera ANALOG de EXTERIOR **cu IR**

(**lentila fixa**)



Specificatii Tehnice:

- Weatherproof IR Camera, 1/3" IT CCD, Intelligent IR Technology, Built-in IR LEDs(12EA), 0.00 Lux, Auto White Balance, 50mm in Diameter, 12VDC, IP66, 600TVL, 3,6mm IR Fixed Lens

Recomandari de amplasare:

- magazin spatiu ingust, depozite, intrare cladiri, parcare subterana, supermarket, piete, exteriorul casei, gradini, acces bloc, gari, autogari, restaurante, parcuri, spalatorii auto, hoteluri, piscine, sali de sport, gradinite, scoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

WCM-21VF

Camera ANALOG de EXTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- Weatherproof IR Camera (600TVL), 1/3" High Sensitivity CCD, TDN(ICR), DNR, Built-in IR LEDs(18ea), Intelligent IR Technology, 0.00Lux (IR LED On), OSD, Auto White Balance, AGC, SBLC, Flickerless, 50mm in Diameter, 12VDC, IP66, 12VDC, 3.8~9.5mm D&N(ICR) Varifocal Lens

Recomandari de amplasare:

- magazine cu suprafata mare, hale de productie, depozite, pietee, exteriorul casei, gradini, intrarea in parcare (identificarea nr inmatriculare), scoli, supraveghere stradala, supraveghere cazino, sali de jocuri, benzinarii, gari, autogari, stadioane, parcuri, parcuri de distractii, competitii sportive, spalatorii auto, aeroporturi, piscina, sali de sport, gradinite

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.
Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951
Email: office@sionsecurity.ro



GCA-B3326D

Camera ANALOG de INTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- Camera color Dome cu IR la 25 m, 700TVL color, 750TVL alb&negru, lentila vari-focala 2.8 ~ 11 mm, auto iris, cu excelenta rezolutie orizontala, functie High Light Compensation, DNR, Senzor imagine 1/3" CCD Sony 960H Ex-view HAD II, pixeli efectivi 976(H) x 582(V), functie BLC, AGC, ATR (lumina scazuta o amplifica iar luminii crescute ii scade intensitatea), iesire video 1 CVBS (1Vpp), BNC, 1 iesire pentru monitor de test, Alimentare 12 VDC/24 VAC

Recomandari de amplasare:

- magazin spatiu ingust, magazin suprafata mare, hala de productie, depozit, interiorul biroului, holuri, intrare cladire, parcuri subterane, interiorul casei, banci, Sali de jocuri, benzinarii, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hoteluri, sali de sport, gradinite, scoli

(Printeaza aceasta pagina)



S.C. SION Security S.R.L.

Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951

Email: office@sionsecurity.ro



SION SECURITY

GCA-B3322D

Camera ANALOG de INTERIOR fara IR

(lentila vari-focala)



Specificatii Tehnice:

- Camera color Dome 650TVL, lentila vari-focala 2.8 ~ 10.5 mm (TAMRON), cu excelenta rezolutie orizontala, functie High Light Compensation, DNR, Senzor imagine 1/3" CCD Sony 960H Ex-view HAD II, pixeli efectivi 976(H) x 582(V), functie BLC, AGC, ATR (lumina scazuta o amplifica iar luminii crescute ii scade intensitatea), iesire video 1 CVBS (1Vpp), BNC, 1 iesire pentru monitor de test, Alimentare 12 VDC/24 VAC

Recomandari de amplasare:

- interiorul biroului, holuri, intrare cladire, restaurante, farmacii, spitale, clinici private, lifturi, sali de conferinte, hotel, sali de sport, gradinite sicoli

(Printeaza aceasta pagina)

www.sionsecurity.ro



S.C. SION Security S.R.L.
Adresa: Bd. Regiei, Nr. 2, Sector 6, Bucuresti

Tel: +4 0735 188 951
Email: office@sionsecurity.ro



GCA-B2323TR

Camera ANALOG de EXTERIOR **cu IR**

(**lentila vari-focala**)



Specificatii Tehnice:

- Camera color Bullet cu IR la 30/45m, 600TVL, lentila vari-focala 2.8 ~ 11 mm, reglaj in interior, auto iris, cabluri ascunse, cu excelenta rezolutie orizontala, functie Intelligent Video Content Analysis cu detectie miscare, CCVC (Camera Control Via Coaxial Cable), DNR, Senzor imagine 1/3" CCD (Sony Super HAD IT), pixeli efectivi 752(H) x 582(V), functie BLC, AGC, iesire video 1 CVBS (1Vpp), BNC, 1 iesire pentru monitor de test, Alimentare 12 VDC/24 VAC

Recomandari de amplasare:

- magazine cu suprafata mare, hale de productie, depozite, pietee, exteriorul casei, gradini, intrarea in parcare (identificarea nr inmatriculare), scoli, supraveghere stradala, supraveghere cazino, sali de jocuri, benzinarii, gari, autogari, stadioane, parcuri, parcuri de distractii, competitii sportive, spalatorii auto, aeroporturi, piscina, sali de sport, gradinite

(Printeaza aceasta pagina)

